

# Package: AAGISurveyApp (via r-universe)

May 26, 2026

**Title** AAGISurvey Shiny App Front End

**Version** 0.0.3

**Description** A user-friendly interface to generate AAGI S&S feedback survey URLs.

**License** MIT + file LICENSE

**URL** <https://aagi-aus.github.io/AAGISurveyApp/>,  
<https://github.com/AAGI-AUS/AAGISurveyApp/>

**BugReports** <https://github.com/AAGI-AUS/AAGISurveyApp/Issues>

**Imports** AAGISurvey, bslib, config, golem, rlang, shiny, shinyjs

**Suggests** testthat

**Remotes** <https://github.com/AAGI-AUS/AAGISurvey>

**Additional\_repositories** <https://aagi-aus.r-universe.dev>

**Config/roxygen2/version** 8.0.0

**Encoding** UTF-8

**LazyData** true

**X-schema.org-applicationCategory** Tools

**X-schema.org-isPartOf**

<https://grdc.com.au/research/partnerships-and-initiatives/strategic-partnerships/aagi>

**Config/pak/sysreqs** cmake make libuv1-dev libx11-dev zlib1g-dev

**Repository** <https://aagi-aus.r-universe.dev>

**Date/Publication** 2026-05-26 05:53:39 UTC

**RemoteUrl** <https://github.com/AAGI-AUS/AAGISurveyApp>

**RemoteRef** HEAD

**RemoteSha** dd59f7c2140ba2efcf539e32749f6134f6e8b50e

## Contents

run_app . . . . .	2
<b>Index</b>	<b>3</b>

---

`run_app`*Run the Shiny Application*

---

**Description**

Run the Shiny Application

**Usage**

```
run_app(...)
```

**Arguments**

... Arguments passed to `[shiny::shinyApp()]`.

# Index

run\_app, [2](#)